

Figure 1A






Figure 1B





'igure 2E

Donor 743

Donor 743	tW-tov	tZ-tov	tov	tW+tZ	dW-dov	dZ-dov	dov	dW+dZ
seq. nb	517	488	268	1273	202	199	20	421
%	40.6	38,4	21	100	48	47,3	4,7	100




Figure 3A




Figure 3B




Figure 4




Figure 5

WO 2005/059176 PCT/IB2004/004413

6/14

_		
1		00
{a112_b10_039}	a catag- g	
[al12_g05_018]	tag- g	
[al12_a05_024]	a	
{all2_f08_027}		
{al12_h05_017}	a	
{al12_f10_035}	at-g- g	
{al12_d12_045}	a	
{al12_f01_003}	t-g- g	
{all2_c01_006}	t-g- g	
{all2 d07 029}	at-g- g	
{all2 a07 032}		
{al12 b07 031}		
{all2 d05 021}		
{all2 a09 040}	t-g- g	
{al12 f06 019}	t-g-g	
{al12 g03 010}		
{all2 h09 033}	t-g- g	
(all2 f05 019)		
{all2 e02 004}		
{al12 g01 002}	a	
germline IGHG1		
derminie iquer		
[5]112 502 0071	+-a	
{all2_b02_007}		
germline IGHG3	t	-
(-110 boz 00E)		
{al12_h07_025}		
{al12_h01_001}		
{al12_f03_011}		
{al12_g06_018}		
{al12_c06_022}		
{al12_d06_021}		
{al12_b01_007}		
{al12_h12_041}		
{a112_g02_002}		
{al12_a02_008}		
germline IGHG2		
{all2 e01 004}	f	
[al12 a08 032]	f C	
{al12 c12 046}	t	
(al12 f09 035)	t	
{all2 c04 014}	C-t	
(al12 g08 026)	f	
(all2 c02 006)	t	
{al12_d08_029}	t	
{al12 e06 020}	t	
{al12 a06 024}	t	
(al12_d00_024)		
{a112_g10_034}	C-t	
{al12_g10_034}		
{all2_e03_012} {all2_f07_027}		
{al12_g12_042}		
germline IGHG4	~-t	. —
	0.000001001 1.000000100 0.0000000000000	
Consensus	GCCTCCACCA AGGGCCCATC GGTCTTCCCC CTGGCGCCCT GCTCCAGGAG CACCTCCGAG AGCACAGCGG CCCTGGGCTG CCTGGTCAAG GACTACTTC	.C




Figure 7




Figure 8



WO 2005/059176 PCT/IB2004/004413

10/14




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14